OXFAM INTERNATIONAL:

A Situation Analysis On The Hiv/Aids Epidemic In Burundi and Oxfam International's Potential Role In The National Response To The Epidemic.

MARCH-APRIL 2003

Oxfam International affiliates working in East and Central Africa: Oxfam GB, Novib, Oxfam Ireland, Oxfam Solidarite, Oxfam Quebec

Acknowledgement:

This document is the result of research work by AIDS specialist working then with project GIPA, Dr. Françoise (The Principal Investigator), who drew inspiration from previous research work on HIV/AIDS in Burundi. Lynette Simon the programme coordinator, Oxfam GB, Gitega was the leader of the OI HIV/AIDS working group in Burundi, which coordinated the study.

Volunteers did translations from French to English with Oxfam Solidarite, document refinement and editing done by Dr. Harriet Kivumbi Nkalubo, the regional HIV/AIDS policy coordinator for Oxfam International in East and Central Africa.

Finally appreciation to all OI partners in Burundi, for participating in the study and to OI affiliates and all other actors for the support provided.

Contact persons:

1. Lynette Simon, Oxfam GB, Gitega B.P 391, Gitega Burundi, E-mail: lsimon@oxfam.org.uk

2. Dr. Harriet Kivumbi Nkalubo, Regional HIV/AIDS policy coordinator, Oxfam International in East and Central Africa Email: hnkalubo@oxfam.org.uk

Acronyms and Abbreviations

AAB Action Aid Burundi

ANSS Association Nationale de Soutien aux Séropositifs et Sidéens (National AIDS-

HIV-victims support)

APSS Association des Prisonniers Séropositifs et Sidéens

(Association of prisoners (people living with AIDS)

ARV Antirétroviraux (Anti retro viral therapy)

ASB Association des Scouts du Burundi (Burundi scout association)
ASBL Association Sans But Lucratif (Non profit making organisations)

BM Banque Mondiale (World Bank WB)
BRARUDI: Brasseries et Limonaderies du Burundi

(Burundi Breweries and lemonade producers)

BRB Banque de la République du BurundiCE Comité Exécutif (Executive Committee)

CED Centre d'Entraide et de Développement (development and Aid Centre)
CISMA Conférence Internationale sur le SIDA et les Maladies sexuellement
transmissibles (CISMA) en Afrique. (International AIDS/STD Summit in Africa)

COTEBU Complexe Textile de Bujumbura

CRS Catholic Relief Services

EPC Equipe de Prise en Charge (Support Organisation)

FVS Famille pour Vaincre le SIDA (Families against AIDS)

GCP Groupe Consultatif Pays (National Consultative Group)

GIPA Greater Involvement of People infected or affected by AIDS

IBAATA Initiative Burundaise d'accès accéléré aux Traitements

Antirétroviraux (Burundi initiative for access to ARV)

Antiretroviraux (Burundi initiative for access to

IEC Information Education CommunicationIH Institution Hôte (Host Institution)

MFP Mutuelle de la Fonction Publique (National public Health Service)
 MST Maladie Sexuellement Transmissible (STD Sexaully transmitted disease)
 OAC Organisation à Assise Communautaire (Community assembly Organisation)

ONG Organisation Non Gouvernementale (NGO)
PNLS Programme National de Lutte contre le SIDA

(National AIDS control program)

PNUD Programme des Nations Unies pour le Développement (UNDP United Nations Development programme)

PTME Prévention de la Transmission de la Mère à la l'Enfant (Prevention of Mother to child transmission of HIV/AIDS)

PLWA Persons living with HIV/AIDS

SAO:

RAF Projet Régional du PNUD (UNDP Regional project)

RBP+ Réseau Burundais des Personnes vivant avec le VIH/SIDA (Burundi network for AIDS-HIV victims support)

Fonds d'affectation Spécial (Special needs Fund)

SIDA Syndrome d'Immuno Défiscience Acquise (AIDS Acquired Immuno

Deficiency Syndrome)

SIPAA Support International Project against Aids in Africa (Anti-AIDS project

support in Africa)

SWAA Society for Women and AIDS in Africa
TPO Transcultural Psycho-social Organisation

VIH Virus d'Immunodéfiscience Humaine (HIV Human Immunideficiency virus)

VLA Volunteer Living Allowances

Table of contents

Introduction	4
Study methods	<u>4</u>
Brief outline of the global HIV epidemic situation	<u>4</u>
HIV/AIDS epidemic situation in Burundi	<u>4</u>
Communities that are particularly vulnerable to HIV AIDS infection in Burundi	7
<u>Drivers and factors encouraging the spread of HIV/AIDS in Burundi</u>	7
<u>Direct causes or drivers of the epidemic</u> .	7
<u>Underlying factors</u>	7
Deep-rooted drivers of the spread of HIV	7
<u>IMPACT OF HIV/AIDS</u>	<u>8</u>
Impact on the health infrastructure and systems	8
Impact of HIV/AIDS on the structures and the education system	8
Impact of HIV/AIDS on the economic systems	8
Demographic impact of HIV/AIDS	
Impact of HIV/AIDS on other social aspects	
Responses to the pandemic: National HIV/AIDS priority programmes	<u>9</u>
Current programmes on HIV/AIDS and key actors	
Key actors in the struggle against AIDS in Burundi	
HIV/AIDS workplace programme activities at host institutions	. <u>12</u>
<u>12)</u> <u>INSS</u>	.12
Mainstreaming HIV/AIDS in development and humanitarian work.	.13
<u>Proposed areas of Intervention and collaboration for Oxfam International and partners i</u>	<u>in</u>
<u>Burundi</u>	. <u>14</u>
	.14
Recommendations	. <u>15</u>
<u>Bibliography</u>	. <u>16</u>
<u>Annexes</u>	. <u>17</u>

Introduction

With the aim of developing strategies for mainstreaming HIV/AIDS in the various programmes financed by Oxfam International (OI), OI commissioned an analysis of the HIV/AIDS situation in Burundi. This analysis was carried out in conjunction with a mapping of partners of OI in Burundi, to understand their HIV/AIDS programming capacities. It is within this framework that this work has been carried out, to enable OI to develop its strategic plan form a well-informed background.

This work is in two parts, but presented as separate reports:

- 1) Component 1: Analysis of the HIV/AIDS situation in Burundi
- 2) Component 2: Results of surveys carried out by Oxfam International's partners in Burundi

Study methods

- Analysis of studies already undertaken and various documents, such as reports
- Analysis of data forms filled by OI' partner organisations
- Meetings with Oxfam partners and the partners they work with
- Interviews with key actors in the fight against AIDS and OI partners.

Brief outline of the global HIV epidemic situation¹

According to the UNAIDS report of December 2002, the cumulative number of people infected by HIV/AIDS is about 42 millions, of which 29.4 millions live in sub Saharan Africa. Amongst those, 19.2 millions are women and 3.2 millions are children under 15 years of age. It is estimated that out of the 5 million new HIV infections, 3.5 million occurred in sub-Saharan Africa. The number of deaths caused by AIDS in 2002 was estimated to be 3.1 million, of which 2.4 occurred in sub-Saharan Africa. The total number of children orphaned by HIV/AIDS since the start of the epidemic is estimated to be close to 14 million. The global epidemic of HIV/AIDS constitutes a global crisis and is one of the most threatening challenges to human life and dignity, as well as for the full exercise of human rights. AIDS has compromised the economic development of the world and affects society at all levels: global, national, community, at family and individual levels.

HIV/AIDS epidemic situation in Burundi

Burundi is a Central African country of 27,834 km², with a population of about 6,565,000 inhabitants. The urban population is about 9% while the population living in rural areas is about 91%. Life expectancy at birth in the year 2000 is estimated around 41² years old.

In Burundi, the first AIDS cases were discovered in 1983. According to UNAIDS estimates, Burundi is ranked as number 15, among countries most hit by the HIV/AIDS pandemic. The average HIV sero-prevalence rates by the end of the year 2001 were estimated at 8.3 % of the adult population (aged 15-49). AIDS has become the leading cause of death

¹ ONUSIDA/OMS, le point sur l'épidémie de SIDA, december 2002

² PNLS/MST, bulletin épidémiologique annuel de surveillance du VIH/SIDA/MST, July 2001

among adults and a serious cause of death amongst young children in Burundi. The number of People Living with HIV/AIDS is 390,000 of which 190,000 are women (15-45 years) and 55,000 are children between 0-14 years old. Women are more infected by the disease than men. The number of children having lost their mother, father or both parents because of AIDS before the age of fifteen, since the start of the epidemic up until 2001 reaches 240,000. The estimate in the number of deaths caused by AIDS in 2001 was 40,000³.

Cross-sectional sero-incidence surveys not being easy to carry out, the HIV prevalence trends are followed through sentinel surveillance amongst pregnant women aged between 15-24, attending antenatal clinics. The current trends show a declining pattern of new infections. The 2002 national survey on sero-prevalence confirmed this observation. Data collection in Burundi has been getting better with time.

The data in tables 1 and 2 below show a tendency towards stabilisation, and even a decrease in urban areas and a tendency of rising prevalence in rural areas, especially the semi-urban areas. The differences observed in the rates of the last two years are not statistically significant, they could be due to sampling fluctuations.

Table 1: HIV/AIDS trends in sentinel sites Burundi, 1995-2001⁴

AREAS	SITE	1995	1996	1997	1998	1999	2000	2001
URBAN	CMCB	27,7%	20,6%	17,5%	19,8%	15,9%	13,9%	16,0%
ZONE				*				
SEMI-	GITEGA			17%	19,4%	13,1%	11,1%	8,7%
URBAN	RUMONGE	16,6%	-	-	-	11,2%	5,0%	12,8%
ZONE	KAYANZA*	39%		10,2%	¤-	5,5%-	11,6%	5,6%
RURAL	MURAMVY		-6,9%-	14,7%	4,5%-	7,4%	3,7%¤	3,5%
ZONE	A							
	IJENDA	12,4%	5,9%	3,9%	3,8%	2,6%¤	3,8%	1,1%
		-						
	KIREMBA	7,7%		3,1%	4,0%	0,9%-	2,2%	1,6%

⁴ PNLS/MST, bulletin épidémiologique annuel de surveillance du VIH/SIDA/MST, Juillet 2001

³ ONUSIDA/OMS, Rapport sur l'épidémie mondiale du VIH, 2001

Table 2: Results of a national survey on the sero-prevalence of HIV in 2002⁵

Sero-prevalence rates in	Women	Men	Average
Population aged between 12 years old and above	3,8%	2,6%	3,2%
Urban areas	13,0%	5,5%	9,4%
Semi-urban areas	13,7%	6,8%	10,5%
Rural areas	2,9%	2,1%	2,5%

The HIV prevalence rates in urban areas (Bujumbura city-council) changed from less than 1% in 1983⁶, to 11% in 1990 and to 20% in 1996 amongst the adult population. As demonstrated in the above tables, the rates have been coming down since 1997. In 2001, it was 16% and according to a 2002 report, the prevalence rates were 9.4%. Efforts should now be focussed on awareness raising on HIV/AIDS in order to retain this low prevalence rates.

In semi-urban areas (Gitega Ngozi & Rumonge province city centres) the HIV/AIDS prevalence rates are worrying. The sero-prevalence in 2002 has been reported at 10.5%. In rural areas, prevalence rates though low, are having tendencies of going up. The sero-prevalence, which was estimated at 0.7% in 1990, is now estimated at 2.5% according to the 2002 report on sero-prevalence.

The high vulnerability of women living in urban areas and semi-urban areas is exhibited by the doubling of rates. The sero-prevalence increases in women from the age of 16, while in men the rate only increases from the age of 20. In rural areas youngsters aged 12 to 20 are the most affected. One has to keep raising people's awareness, in order to keep the rates as low as possible.⁸

The sero-prevalence of HIV in blood donors is decreasing progressively, it was 7.3% in 1990 and 0.2% in 2001. This demonstrates that the qualitative selection and maintaining of voluntary blood donors protects people who have to under go blood transfusions. On the other hand, 20,247 people in 2001 under went HIV/AIDS voluntary counselling and testing of which 15.09% were found to be HIV positive. Condom distribution has remained low with 2,616,464 condoms distributed in 1993 and 3,672,782 distributed in 2001, this is roughly one condom per sexually active couple per year. On the property of the condom per sexually active couple per year.

⁵ PNLS/MST, bulletin épidémiologique annuel de surveillance du VIH/SIDA/MST, Juillet 2001

⁶ PNLS/MST, bulletin épidémiologique annuel de surveillance du VIH/SIDA/MST, 1998

⁷ PNLS/MST, bulletin épidémiologique annuel de surveillance du VIH/SIDA/MST, 1998

⁸ PNLS/MST, bulletin épidémiologique annuel de surveillance du VIH/SIDA/MST, July 2001

⁹ PNLS/MST, bulletin épidémiologique annuel de surveillance du VIH/SIDA/MST, July 2001

¹⁰ PNLS/MST, bulletin épidémiologique annuel de surveillance du VIH/SIDA/MST, July 2001

Communities that are particularly vulnerable to HIV AIDS infection in Burundi According to the review of documents, sero-prevalence studies and the CAP survey of 2001, one can draw a list of people who are particularly vulnerable to HIV in Burundi, these include:

- Youngsters
- Women and young women
- Prostitutes (professionals or women who have multiple partners)
- Displaced people and disaster victims
- Militaries and people who wear uniforms
- Certain single people, depending on the region
- Seasonal/ migratory workers

Drivers and factors encouraging the spread of HIV/AIDS in Burundi

To reduce the spread of HIV, there is a need of promotion of behaviour change amongst all communities. An efficient prevention of HIV/AIDS should reflect a change in people's behaviours, especially as to what concerns their sexual behaviours. But in Burundi, in general, the change of behaviour has been extremely slow.

Direct causes or drivers of the epidemic

- The precocity of sexual intercourse (sex at an early age), particularly amongst young women
- The extent to which people have multiple sex partners (including non polygamous couples)
- Unprotected penetrative sexual intercourse
- The high frequency of STDs

Underlying factors

- The lack of information, counselling and targeted interventions for the prevention of HIV, including access to treatment of STDs.
- The lack of privacy in displaced people's camps and in suburbs, especially the slums
- Alcoholism and drugs that induce risky sexual behaviours such as the use of prostitutes, unfaithfulness and rape.
- Lack of communication within the families, between couples and parent-children on sexuality issues, which are regarded as a taboo
- Lack of family support to orphans following their parents' deaths.
- A weak network in terms of the marketing and the distribution of condoms.
- Commercial sex transactions
- Geographic celibacy of certain categories of people (militaries, workmen, truck drivers etc..), which encourages the need for the affected men and women to have a number of partners.

Deep-rooted drivers of the spread of HIV

- The growing poverty of the Burundi population
- The ongoing conflict: a socio-political crisis in Burundi
- The break down in social links due to the socio-political crisis

- The shifting of populations which give rise to poverty and despair
- The worsening of moral standards
- Feeling of lack of emotional and financial certainty
- A low level of education
- Socio-cultural barriers and taboos
- The low socio-cultural status of the Burundian woman
- Traditional practices such as: "gutera intobo" (the father in law has sex with the son's wife), "gusobanya" (a man sleeps with his sister in law in the absence of his brother), "gucura" (widow inheritance by the father or brother in law).
- Religious beliefs: the use of condoms goes against most religious practices.

IMPACT OF HIV/AIDS

Impact on the health infrastructure and systems

The chronic illness associated with HIV/AIDS has led to a reduction in the quality of health service provision and an increased mortality. 70% of hospital bed` occupancy is attributed to HIV/AIDS, this has increased pressure and demand on the health infrastructure. The hospital manpower has been incapacitated because nurses and doctors are also affected by the pandemic.

Impact of HIV/AIDS on the structures and the education system

There is a low quality education services, low school enrolment because, teachers are Sick and dying from HIV/AIDS, there is absenteeism from work, a decrease in the teaching staff. Sick parents and the many AIDS orphans mean that

Impact of HIV/AIDS on the economic systems

HIV/AIDS affects mainly people in the economically productive years. In Burundi it is the head of the family who are poor, not insured and without social security support that are mostly affected. HIV/AIDS leads to increase of costs of health care for households, companies, social security and state. The HIV/AIDS impact on the people's productive capacity has made direct impact on the agricultural sector, formal and informal private sector, the public at large.

Demographic impact of HIV/AIDS

The UNAIDS report projects that, life expectancy at birth in Burundi will go down from 46 years of 1997 to 39 years in 2010.

Impact of HIV/AIDS on other social aspects

HIV/AIDS affects has severely affected families, death of the bread winner or one of the parents, has a consequence of loss of income and deprivation of survivors of the emotional and material support. Orphans are a huge problem and on the other hand, women risk being deserted by husbands when HIV/AIDS positive status is discovered.

Responses to the pandemic: National HIV/AIDS priority programmes

Sixteen action programmes are in the 2002-2006 national HIV/AIDS strategic plan. These actions are divided into three main intervention axes. These programmes are described in a multi-sector and multi-dimension context. The programmes will be implemented by the non-profit making sectors and the public sector.

Table 3: A summary of the National strategic plan priority programmes

INTERVENTION	PRIORITY PROGRAMMES				
AXES					
A. PREVENTION OF	1. Reduction of risky sexual behaviour through IEC actions on selected				
THE SPREAD OF	groups.*				
HIV/AIDS	2. Social marketing of condoms.*				
	3. HIV/AIDS screening and testing (promotion).*				
	4. Early diagnosis and treatment of STIs.				
	5. Lowering of the risk of HIV/AIDS transmission by blood				
	transfusions.				
	6. Prenatal screening and control of HIV/AIDS transmission from				
	mother to child (promotion and information).				
B. CARE AND	7. Social and psychological care of PLWA.*				
SUPPORT FOR	8. Screening and treatment of opportunistic infections.				
PLWA AS WELL AS	9. Better access to antiretroviral treatments against HIV/AIDS				
IMPACT	(advocacy).				
MITIGATION	10. Promotion of the links between health / human right / protection of				
	persons living with HIV/AIDS and other vulnerable groups.*				
	11. Care and support to HIV/AIDS orphans.*				
	12. Activities that generate income in favour of the poor PLWA.*				
C. STRENGHTENING	13. Strengthening the surveillance, information collection and				
THE	management system.				
INSTITUTIONAL	14. Strengthening the capacities of development and follow-up of				
CAPACITIES FOR	decentralized action plans.				
ADMINISTRATION	15. Strengthening the capacities of civil society organisations, national,				
AND FOLLOW-UP	regional and local NGO's.*				
OF THE ACTION	16. Strengthening the national AIDS control committee (Conseil				
PLAN	National de Lutte contre le SIDA - CNLS).				

Out of the 16 programmes in the table above, OXFAM partners can contribute to various extents in at least ten (10) programmes: namely 1, 2, 3, 6, 7, 9, 10, 11, 12 and 15.

Current programmes on HIV/AIDS and key actors

HIV/AIDS prevention interventions

Research of the epidemiological trends
Investigations about the knowledge, the behaviours and practices
Prevention of transmission through blood transfusions
Prevention of sexual transmission
Prevention of mother-to-child transmission.

Care and support of PLWA

The treatment of opportunistic infections using antiretroviral therapy, the cost of ARVs is listed in appendix 4. The ARV drugs in Burundi are lower than those in Europe and developed countries, because of the "ACCESS" programme, where government has negotiated prices without taxes for the medicine. The government has also created a national solidarity fund to improve access to care. Moreover, the generic ARV drugs are accessible in Burundi. This care is made possible by the collaboration between the public and private sector. Home care and day hospitalisation are primarily organised by community service organisations.

Psychosocial support of PLWA: There are about 80 VCT centres with staff for this purpose. There also are CSOs with programs that focus on psychosocial care of PLWA. The care staffs are within the health structures, essentially public and private health centres where voluntary screening is provided. In total, 58.2 % of the communes in this country have at least one centre for voluntary testing and counselling of HIV. VCT services made it possible for 26,500 persons to benefit from the psychosocial services in 2000 – which is rather a small number, compared to the target population of young adults. 7 provinces out of 17 and 36 communes out of 121 already have community AIDS control networks. Appendix 5 contains a list of screening centres where screening is done anonymously and is free of charge.

2) Reducing the impact of HIV/AIDS on individuals, families and the community.

- Providing material, medical and nutritional assistance to the PLWA, providing education to orphans and promoting income-generating activities.
- Improving the legal environment so that rights of persons infected or affected by HIV/AIDS are respected .
- Taking care of orphans only about 230,000 orphans all across the country were taken care of by UNICEF and other non-profit-making organizations such as FVS or APECOS.
- Leading micro-projects that generate revenue this is an important programme for the vulnerable; better strategies ought to be found to reinforce these actions, so as to achieve better cost-effectiveness.
- Providing PLWA and other affected persons a better access to social services (this is currently limited to programs of the non-profit making organisations).

3) Programmes on HIV/AIDS and the work place

AIDS is a problem at the core of socio-economic development in general. It has not only a great impact on infected individuals, but also their relatives, neighbours or colleagues at work are touched as well. The effects of HIV/AIDS reach national as well as international communities.

AIDS particularly affects the working sector because it reaches and kills the population bracket, which is sexually active (15-45), which is also the most productive. This is why programs are currently being organized in the working environment to protect the most active persons.

As part of this, HIV/ AIDS prevention and impact mitigation activities are promoted in some work places. HIV/AIDS workplace programs exist in 19 public and private institutions. Policies of medical care for employees infected by HIV/AIDS exist in a few private and parastatals, national or international NGO's. The response in the working environment are reinforced by actions of the GIPA project and other reinforcement programmes organized in the context of the multi-sector AIDS control programme

Key actors in the struggle against AIDS in Burundi

Actors in the struggle against AIDS include the public and the private sectors. See table 1 and 2 in the appendices for the description of key actors in the fight against AIDS by province.

Mainstreaming of HIV/AIDS at the work place- institutions supported by the project GIPA

Table 4 below shows the business communities where the mainstreaming of HIV in work places in collaboration with the UN project GIPA.

Table 5 shows employers who have initiatives for care and support of employees living with AIDS. Some of these institutions collaborate with the UN GIPA project. The strategic approaches are different from one institution to another, as the table shows it below.

<u>Table 4: Business communities that have HIV workplace programs</u>

	itions hosting UN		S workpla	ce program	me activition	es at host		
Volun GIPA	teers of the project	institutions						
		Existence of a workplace policy on AIDS	Sensitizing of the personnel	Association of fight against aids	Medical insurance	Assumptio n of responsibil ity of the ARV		
1)	BRARUDI	Yes	Yes	Yes	No	Yes		
2)	Ministry of trade,	Yes	Yes	No	No	No		
	erce and							
	pment							
3)	SWAA-BU	Yes	Yes	Yes	Yes	No		
4)	Ministry of	Yes	Yes	Yes	Yes	Yes		
Defens								
5)	COTEBU	Yes	Yes	Yes	Yes	No		
6)	ANSS	Yes	Yes	Yes	Yes	Yes		
7)	BRB	Yes	Yes	Yes	Yes	Yes		
8)	MFP	Yes	Yes	No	No	No		
9)	CED CARITAS	Yes	Yes	No	No	Yes		
10)	ASB	Yes	Yes	No	No	No		
11)	Action aid	Yes	Yes	No	No	Yes		
12)	INSS	Yes	Yes	Yes	Yes	Yes		
13)	MRRDR	Yes	Yes	In formation	In formation	No		
14)	FVS	Yes	Yes	No	No	No		
15) and so	Ministry of works cial services	Yes	Yes	No	No	No		

Table 5: Access to the ARV therapy through workplace initiatives

Orga	nization	Beneficiaries	Source of ARV treatment funds
1.	Action Aid	Employee	Employer
2.	ANSS	Employee	Employer
3.	BRARUDI	Employee and spouse	Employer
4.	BRB	Employee	Insurance fund by employer and concerned personnel
5.	CED	Employee	Employer
CAR	ITAS		
6.	CRS	Employee	Employer and the interested one
7.	INSS	Employee	Insurance fund by employer
8.	Ministry of	Employee and dependants	Insurance fund by employer and
Defer	ise		concerned personnel
9.	SOCABU	Employee	Insurance fund by employer and concerned personnel
10.	SWAA	Employee	Employer

The COTEBU is also planning to set up ARV treatment fund in April 2003. The origin of the funds will be mainly from the insurance fund, AMASICO

Mainstreaming HIV/AIDS in development and humanitarian work.

There are few actors in Burundi who have policies for integration of the HIV/AIDS in development and humanitarian work. The integration or the mainstreaming of HIV in development is defined as the prioritising HIV/AIDS impact mitigation in development or humanitarian programs, by considering the impact of HIV/AIDS on development and the impact of development and humanitarian work on HIV transmission. The integration of HIV/AIDS necessitates a change in the way the actors think, the policies, strategies and key activities planned, executed, monitored and evaluated.

In Burundi the concept of HIV/AIDS mainstreaming, has mainly been developed by the UNDP. UNDP organized a training of trainers on the mainstreaming of HIV/AIDS. Other mainstreaming initiatives have been funded within the context of the UN GIPA project, in private and para-statals companies (BRARUDI, INSS, BRB, COTEBU, SOCABU) in the ministries (Ministry of defence, Ministry of integration, re-integration of moved people and refugees) in some project like the project of the AGETIP which is in conjunction with road construction companies, to create awareness among workers for AIDS control; and in the NGOs (Catholic Relief Services, Oxfam GB and Action Aid).

An evaluation study by Action Aid on HIV mainstreaming in Ruyigi province, 2002 reported the following experiences;

The process of mainstreaming HIV/AIDS included the following steps; Description of the problem, the context and the environment; good understanding of the notion of HIV mainstreaming and its importance as well as resource identification

Mainstreaming initiatives had had the impacts that are mentioned below; Improved knowledge and behaviour changes among the workers and in the community they serve; Care and support for PLWA improved, reduction of impact of HIV on families and the community, strengthening of civil society organisations and institutional capacity.

The Action Aid and its partners in Ruyigi area included identified the major constraints of HIV mainstreaming that,

Lack of capacity: lack of means to reinforce capacities within the NGOs and associations dealing with development and humanitarian aid

Lack of resources: lack of human resources qualified in fighting AIDS, as well as lack of material and financial resources.

Lack of knowledge of best practices: little transfer of experience and knowledge on how things are dealt with elsewhere

Lack of commitment by NGOs: NGOs and CSOs seem not so keen on taking responsibility for the medical care of their staff.

Proposed areas of Intervention and collaboration for Oxfam International and partners in Burundi

There are ten intervention areas that have been identified, in line with the 16 priority programmes described in the National AIDS Strategic Plan 2002-2006:

Programme	Activity areas
Component	
Prevention	• IEC campaigns to promote sexula behaviour change among targetted population
	Social marketing and distribution of condoms: promote the use of condoms
	Promotion of voluntary testing and counseling
	Promote pre-nuptial and pre-conception testing, information on means to
	prevent HIV transmission from parent to child
Care, support	Psycho-social support : provide staff/personnel with trained counsellors
and impact	• Improve access to ARV therapy to fight HIV/AIDS: identify strategies to give
mitigation	access to ARV to sick staff
among	Promote links between health / human rights / protection of people with
PLWA	HIV/AIDS and other vulnerable groups
	Take charge of HIV/AIDS orphans
	• Income generating activities for the needy: develop a policy giving access to
	AGR (? loans) financing for PLWA
Capacity	Reinforce the capabilities of national, regional and local associations and
building	NGOs: develop training programmes for partners with a view to enable them to
	integrate the struggle against AIDS in their everyday work.

Proposed activities under HIV/AIDS mainstreaming

In the small survey undertaken with OI's partners, only three of them had started actions to fight AIDS. The others wanted to start as well, but had constraints with regard to both human and material resources. The following proposals for action result from a discussion with OI's partners on what actions would be taken to start the struggle against AIDS.

1) Integrate the fight against AIDS in day to day life experiences (social-cultural considerations)

This is what is done in the work place: prevention actions, psycho-social counselling and ensuring medical treatment.

- Awareness raising seminars for the staff
- Develop and implement a strategy allowing sick staff to receive medical treatment

Possible partners: ONUSIDA, CNLS, Project GIPA, ANSS

2) Develop a policy to integrate HIV/AIDS

Organise consultative workshops to develop policies on HIV/AIDS in collaboration with experts on HIV/AIDS.

Possible partners: ONUSIDA, CNLS, UNDP, Project GIPA

3) Mainstream HIV/AIDS impact mitigation in development and humanitarian programmes

- Inform and train staff on general aspects of AIDS

Reinforce capacities through training and, in order to improve productivity,
 advocate and promote care and support for PLWA, organization personnel and beneficiaries.
 Integrate prevention activities to beneficiaries of development and humanitarian programs.

Possible partners: ONUSIDA, CNLS, UNDP, Project GIPA, ActionAid

4) Mainstream HIV/AIDS in humanitarian programmes

In order to successfully implement HIV preventive measures in humanitarian programmes, the programs must be similar to those carried out among satble populations. SWAA-Burundi has good experience in the subject (activities in displaced people's camps at the start of the crisis in the municipality of Bujumbura)

- Provision of staff in humanitarian programmes with relevant information
- Integration of IEC seminars on AIDS in all humanitarian programmes

Possible collaborators: ONUSIDA, CNLS, Project GIPA, SWAA

Recommendations

A consultative meeting with OI partners in Burundi made the following programming recommendations.

- Organise awareness-raising seminars for staff from OI's partner organisations.
- Organise a workshop to support implementation of staf work place policies with regard to HIV/AIDS and other long term illnesses?
- Organise activities to launch actions to fight AIDS within staff of OXFAM International's partners on the National AIDS Control day
- Identify specific training required by partner organisations which would enable them to integrate the fight against AIDS in their development and humanitarian actions
- Identify the available resources and the different methodologies with a view to train trainers in the area of HIV/AIDS for OI's partners

Bibliography

- 1. PNLS /MST (National program of fight against AIDS/STD sexually transmitted disease), National epidemiological bulletin for the serological surveillance HIV/AIDS/STD, 1998
- 2. PNLS/MST (National program of fight against AIDS/STD sexually transmitted disease), National epidemiological bulletin for the serological surveillance HIV/AIDS/STD, July 2001
- 3. Un for AIDS/WHO, World epidemic report, 2001
- 4. UN for AIDS/WHO, Epidemiological state of the world, December 2002
- 5. Study committee of public safety and development "Integration strategies for HIV/AIDS programme in the emergency and development operations: the Ruyigi case", January 2002
- 6. Annual GIPA programme report, 2001
- 7. GIPA programme work progress report, December 2002
- 8. National study of HIV-AIDS infection extent: final report, December 2002
- 9. HIV mainstreaming data
- 10. Social and peculiarities study of HIV-AIDS infection in Burundi, December 2001
- 11. National programme of fight against AIDS/HIV 2002-2006
- 12. Mapping and documentation review of actors engaged in the fight against HIV-AIDS in Burundi / ACTIONAID BURUNDI, October 2001
- 13. Institutional analysis of the structures engaged in the fight against HIV-AIDS in Burundi, especially in: **Bubanza**, **rural Bujumbura**, **Cankuzo**, **Kayanza**, **Karuzi**, **Kirundo**, **Makamba**, **Muramvya**, **Mwaro**, **Rutana and Ruyigi**.

Annexes

Annex 1

The following report shows data from a study by IDEC in government ministries on AIDS control programming at a departmental level.

Table n°1: Capacity of government ministries in HIV/AIDS programming

Ministry	Existing USLCS	Date of commenceme nt	Functio nal USLCS	Departmen tal strategy	Partnershi p
1. President of the Republic	-	-	-	-	-
2. Ministry of foreign relations and cooperation	X	2001	X	-	-
3. Ministry of domestic affairs and Ministry for Civil Defence	X	2000	X	-	-
4. Ministry of Justice	X	2000	-		
5. Ministry of National defence	X	2000	X	х	Unfor AIDS
6. Ministry for peace keeping	X	2000	X	-	PNLS
7. Ministry of Development and reconstruction	X	2001	-	-	-
8. Ministry of urban development*.	X	1999	-	-	-
9. Ministry of the public works and the environment	X	1998	-	-	-
10.Ministry of Finance	X	2000	-	-	-
11.Department of Education and Science	X	2000	X		
12.Ministry of Immigration	X	2001	-	-	-
13.Department of health	Х	2000	X	-	Unfor AIDS/ PNLS
14.Ministry of Fisheries and food	X	2001	_	-	-
15.Department of Trade and industry and Ministry of Tourism	Х	2000	-	-	-
16.Ministry of public works and development	X	2000	-	-	UnforAID S/ PNLS
17.Ministry of Transports and Post Office Board	X	2000	X	-	PNLS
18.Ministry of Energy supply and mines	X	2000	-	-	-
19.Social activities and	X	2000	X	X	_

Women's rights promotion					
Department					
20.Human rights Department	X	2000	-	-	
21.Ministry of information	X	2001	-	-	-
22.Department of public service	X	2000	-	-	-
23.Sport and cultural activities Department	X	2001	-	-	-

USLCS = **Departmental unit for fighting AIDS**

(12) The mentioned Departments existed well before the setting of the stop-gap Government in November 2001

Annex 2

The following outline presents IDEC study data of the fight against AIDS engaged by local Governments and public bodies.

 $\underline{\textbf{Table } n^{\circ}\textbf{2:}} \ \textbf{Institutional capacity of para-statals and local administrative authorities for AIDS control}$

Local authorities and para-	Existing	Date of	Functional	Departmental
statals agencies	USLCS	commencement	USLCS	strategy
1. BEPES	X	2000	X	-
2. BER	X	1999	X	-
3. RPP	X	1998	X	-
4. PNLS/STD	X	1986	X	X
5. PNLT	X	2000	-	-
6. PNSR	X	1999	X	X
7. IEC/EPS service	X	1989	X	X
8. CNTS	X	1993	X	X
9. CHUK	X	2001	-	-
10.HPRC	X	1992	X	X
11. CNPK	-	1997	-	-
12. CPLR	X	1986	X	-
13.INSP	X	1999	X	-
14.Local authorities/	X	2000	X	-
Bujumbura				
15.ENAPO	X	2000	X	-
16. PAFE	X	2000	-	-
17.Police forces/ Public	X	2000	-	-
safety				
18.Military hospital	X	1996	X	-
19.OCIBU	X	2000	_	-
20.COGERCO	X	2000	X	-
21.COTEBU (textile	x	2000	X	-
industry of Bujumbura)				
22.REGIDESO	X	2000	X	-
23.SOBUGEA	X	2000	X	-
24.OTRACO	X	2000	X	-
25.F.P.H.U.	X	2000	-	-
26.ISTEEBU	X	1999	-	-
27.INSS	X	2001	X	-
28.M.F.P. (mutual public	X	2000	X	-
association)				

<u>Table 3: Table listing HIV/AIDS actors at provincial level</u>

DISTE	RICTS	ACTORS
1) Bubanza		Diocesan organisation for fighting AIDS;
		PSI Bubanza (Bubanza Population, Human health and information);
		Turemeshanye

2) Bujumbur AVISI (Burundi AIDS-victims support) a Mairie APOPI (HIV and orphans assistance group) PRAUTAO (Food self-sufficiency promotion and orphans support in rural areas) ANSS (National assistance to AIDS-victims) AGB **ARTS** ABUBEF (assistance for promoting the family well-being) ADVS (Association for voluntary blood donors) CESA (Federation) IL EST VIVANT A B S (Burundi partnership against AIDS) MENYA-MEDIA FVS (Families against AIDS) CPAJ (Organisation for the support of juvenile association) ASB (Burundi scout Organisation) **MESPS** AJS (Assistance for justice and solidarity) 18.GGB TURWANYE ubukene Nouvelle Espérance (new hope) **SRF EJIAM** I S F (Women International) FI C (Christian organisation for teachers) **SAJOMS RJSI PJSD** 28.APECOS (Organisation for fighting AIDS) AFOPROCA (Organisation for the development of pieces of work and against AIDS especially in yards where the need for labour has sharply increased) F U S J S R . A A D **CEPROMET** AMS AIDS-victims assistance Organisation SORETO (Organisation for the support and the solidarity of drug addicts) **ACSB**

GIRIMPUHWE

3)	Bujumbur	SWAA / Gatumba network ;				
a rural		Solidarité pour une meilleure santé et le développement en Afrique (SOSADA-				
		Solidarity organisation for African development and for better health conditions);				
		Appui aux orphelins et aux personnes infectées par le VIH (APOPI -HIV and				
		orphans assistance group)				
4)	Bururi	Community network for fighting AIDS				
		Bururi Hospital				
		COPED- Bururi				
		ASVM AIDS-victims support				
		Les Amis de la Culture (Culture friends)				
		Association « Dufashe abana b'impfuvyi »				
		SWAA Burundi Rutovu network				
		Anti AIDS unit – BUTUTSI project				
		Association Savoir Plus (Organisations "savoir plus")				
		Bururi Diocese – Pastoral office				
		Peace and development programme(Bururi)				
		IRC (International rescue committee)-Tora				
		Compréhension Science Conscience COSCO (Science understanding organisation)				
		Organisation for AIDS orphans support (SIJENAVYIGIZE)				
		Red Cross (BURURI)				
		Association pour combattre le SIDA ACOS Séminaire de BUTA (Organisation for				
		fighting AIDS – ACOS Buta summit)				
		Programme de la santé reproductive PNSR (Programme for safety reproduction)				
5)	Cankuzo	ACORD (Organisation for fighting AIDS) Cankuzo;				
		Murore Human Health Committee;				
		Cankuzo CDF (centre for steady family relations)				
		, , , , , , , , , , , , , , , , , , ,				

6)	Gitega	Eglise du plein Evangile (Church)
,		Eglise Episcopale du Burundi (Burundi Episcopal Church)
		Archidiocèse de Gitega (BDAG-Promotion santé)/Diocese of Gitega (BDGA-
		health promotion)
		Association d'action familiale de Gitega (Family activities network of Gitega) Oxfam G.B. (U.K. Oxfam)
		Save the children
		Association des jeunes pour jeunes contre le SIDA (Juvenile commitment for fighting AIDS)
		Alliance contre le SIDA/ Gestion Equation Homme/Femme de Gitega (Alliance against AIDS/Men's sector/Women of Gitega)
		Association Nationale de Soutien aux Séropositifs et Sidéens (National AIDS-HIV
		victims support organisation)
		Association des Fonctionnaires pour le Bonheur familial (Happiness in the bosom of
		AIDS-victims families)
		Urumuri contre le SIDA (Urumuri against AIDS)
		Association pour encadrement des enfants orphelins (Orphans assistance
		organisation)
		Association pour l'encadrement des jeunes de Gitega (Organisation for the support
		of young people in Gitega)
		TABARA
		Jeunesse Providence AGAKURA (juvenile Providence)
		Association de lutte contre le SIDA (Organisation for fighting AIDS)
		SWAA Burundi
		REMESHA
		Appui psychosocial des victime du SIDA (AIDS-victims psychosocial support)
		Association Nationale de lutte contre le SIDA (ANSS)-antenne Gitega/ANNS
		National organisation for fight against AIDS – Gitega network
		ASS « Twungure ubumenyi mu rugamba rwo kurwanya SIDA)

-\	T 7	CTTTA A / TZ	
7)	Kayanza :	SWAA / Kayanza network ;	
		Association des Scouts du Burundi (Burundi scout Organisation) /	
		Kayanza network;	
		Réseau inter-confessionnel de lutte contre le SIDA (ROCSI)/	
		Confessional network for fighting AIDS;	
		Cellule de l'Eglise épiscopale (Episcopal Church unit) ;	
		Kayanza CDF (centre for steady family relations)	
8)	Karuzi:	APECOG war orphans support	
		Gatonde Health authority and medical centre;	
		Equipe de prise en charge des PVVS à Bugenyuzi (AIDS-HIV	
		victims support organisation in Bugenyuzi);	
		Karuzi CDF (centre for steady family relations)	
9)	Kirundo:	Conseil Norvégien pour les Réfugiés CNR (Refugees Norvegian	
		Board);	
		ANSS – Kirundo II est vivant (ILEV) – Kirundo	
10)	Makamba	Mother's Union	
:		IRC (International rescue Committee) / Makamba network;	
		CORDAID / Makamba network	
11)	Muramvya	SWAA / Muramvya network; Association des PVVS Twizere	
:		(AIDS-HIV victims support organisation in Twizere);	
		Equipe de prise en charge de l'Hôpital Kiganda (Kiganda Hospital	
		unit) ; Equipe de prise en charge de l'Hôpital Muramvya Croix	
		Rouge (Muramvya Hospital unit, Red Cross) Mbuye network	

12)	Muyinga	Service Humanitaire aux victimes du SIDA (AIDS-victims
	1.1	humanitarian service)
		Association des jeunes de MUYINGA (MUYINGA juvenile association)
		Abaremeshakiyago de GASORWE (GASORWE Abaremeshakiyago
		Abaremeshakiyago de RUGARI (RUGARI Abaremeshakiyago) Abaremeshakiyago de la zone BUTARUGERA (BUTARUGERA AREA Abaremeshakiyago)
		Abaremeshakiyago de MUGANO (MUGANO Abaremeshakiyago) SWAA BURUNDI, MUYINGA network
		International Medical corps (IMC)
		Comité Provincial de lutte contre le SIDA (Provincial Committee for fighting AIDS)
		Twungubumwe Stop SIDA (Twungubumwe Stop AIDS)
		Burundi Red Cross
		Bureau Diocésain de MUYINGA (MUYINGA Diocesan authority)
		Local organisation support in fighting AIDS
13)	Mwaro:	Rusaka women Association
		Cheval humanitaire (Humanitarian assistance)
		AMS AIDS-victims assistance Organisation;

14) Ngozi	1.Comité provincial de LCS (Provincial Committee for fighting		
	AIDS)		
	2.CC LS MWUMBA		
	3.Cellule comm. Gashikanwa (Gashikanwa unit)		
	4.AASIB		
	5. Kiremba Hospital		
	6.Jeho kuki		
	7.ARESOGI		
	8.PDCLCP		
	9.Ruhororo local unit		
	10.SWAA NGOZI (NGOZI society for Women and AIDS in Africa)		
	11.SWAA Gashikanwa (Gashikanwa society for Women and AIDS		
	in Africa)		
	12.SWAA RUHORORO (RUHURORO society for Women and		
	AIDS in Africa)		
	13.SWAA KIREMBA (KIREMBA society for Women and AIDS in		
	Africa)		
	14.SWA MWUMBA (MWUMBA society for Women and AIDS in		
	Africa)		
	15.ABUBEF NGOZI		
	16.Projet CARE		
	17.AFN		
	18.AFAVO		
	19.CDF Gashikanwa (Gashinkanwa centre for steady family		
	relations)		
	20.CDF MWUMBA (MWUMBA centre for steady family relations)		
	21.CDF NGOZI (NGOZI centre for steady family relations)		
15) Rutana:	Actionaid / Rutana		
	International Medical Corps (IMC);		
	CDF Rutana (Rutana centre for steady family relations);		
SPSVS (Organisation for AIDS_victims support and for pr			

16)	Ruyigi:	Actionaid / Ruyigi ;
		Maison SHALOM (Shalom house)
		SWAA (society for Women and AIDS in Africa) / Ruyigi;
		BDDR (Diocesan development Office in Ruyigi);
		AFPEOD (Women Organisation for have-not and orphans rescue);
		UNISIP (Union for fighting AIDS and poverty);
		CDF (centre for steady family relations) / Ruyigi.

Annex 4

Cost of antiretro viral drugs in Burundi

I. <u>TARGETED THERAPIES AND DRUGS</u>

<u>PRODUCTS</u>	PRICE IN FBU (Burundi francs)
<u> </u>	

COMBIVIR	CP 300MG + 150MG	: 51.460 FBU
CRIXIVAN	CP 400 MG	: 43.200 FBU
EPIVIR	СР150 мG	: 16.540 FBU
RETROVIR	CP 300 MG	: 35 400 FBU
STOCRIN	CP 200 MG	: 36.650 FBU
VIDEX	CP 200 MG	: 22 860 FBU
VIDEX	CP 150 MG	: 16 550 FBU
ZERIT	CP 40 MG	: 3 750 FBU
ZERIT	CP 30 MG	: 3 160 FBU
ABACAVIR*	CP 300 MG	: 81.250 FBU

^{*} This product did not benefit by any cut in its price

Triple combination therapy costs on average $100\ 000\ FBU$ (Burindi francs) and peaks from $42\ 560\ to\ 160\ 850\ FBU$ according to the different drug combinations.

II. GENERIC DRUGS

	PRICES IN FBU
(HIVID)	24800
(COMBIVIR)	23200
50MG+ 200 MG (AZT+Epivir+Névirapine)	49200
(EFAVIRENZ)	41500
(EPIVIR)	11200
(EPIVIR+ZERIT)	17800
(LAMIVUDINE)	4200
(NEVIRAPINE)	17800
(NEVIRAPINE)	4200
(ZERIT 40)	4200
(ZERIT 30)	4200
(Zerit+Epivir+Nevirapine)	30800
(RETROVIR)	15000
(RETROVIR)	10000
(RETROVIR)	3400
	(COMBIVIR) 50MG+ 200 MG (AZT+Epivir+Névirapine) (EFAVIRENZ) (EPIVIR) (EPIVIR+ZERIT) (LAMIVUDINE) (NEVIRAPINE) (NEVIRAPINE) (ZERIT 40) (ZERIT 30) (Zerit+Epivir+Nevirapine) (RETROVIR) (RETROVIR)

Triple drug therapy costs on average 46 250 FBU and peaks from 30 800 to 67 700 FBU (Burundi francs) according to the different drug-combinations.